



**Gloucestershire Warwickshire Steam Railway Plc**  
**Risk Assessment for Level Crossings (Cheltenham - Gotherington) - Operations**

**Risk Assessment - Level Crossings (Cheltenham - Gotherington)**

Reference No: OPE-45425-22

Version No: 1

Assessment Approver: Kevin 'Kev' Jarvis

A detailed review of all crossings has been undertaken by the Infrastructure Manager. The status, findings and actions are contained within the attached document. Crossings reviewed:  
CRC Manned Gates  
Hyde Brook Footpath  
Clover's Footpath  
Kayte Lane Farm  
Cleeve Footpath  
Gotherington Footpath  
Gotherington Station Barrow

Department: Operations  
Date Of Assessment: 13 May 2024  
Review Due Before: 13 May 2029  
Lead Assessor: Ian Scholey  
Team:

**Use of level crossings**

Type	Hazard Cause	Persons Affected	Control Measures	Additional Control Measures			L Overall	S Overall	T Overall	Owner/Action Overall
				L	S	T				
Health and Safety	Injury to users Slip, trip, fall or contact with moving trains	Everyone	1) CRITICAL - Administrative: See attached document. - Effective	1 x	5 = 5	None				n n n n/a

**COSHH Assessments**

There are no COSHH assessments associated with this risk assessment.

**Reference Documents**

- Level Crossings Inspection CRC to Gotherington April 2024 -

Ends