



# Gloucestershire Warwickshire Steam Railway Plc Waxoyl

## COSHH Assessment Details

<b>Assessment Id:</b>	COSHH-45280-48	<b>Lead Assessor:</b>	Kevin Jarvis
<b>Version No:</b>	2	<b>Published Date:</b>	20 December 2023
<b>Status:</b>	Active	<b>Review Date:</b>	20 December 2026
<b>Assessment Date:</b>	20 December 2023	<b>Approved By:</b>	Kevin 'Kev' Jarvis

## Substance Details

<b>Substance Name:</b>	Waxoyl	<b>Substance Use:</b>	Specialist rust prevention paint
<b>Manufacturer Address:</b>	ICI Paints Akzonobel Wexham Road, Slough, Berks. SL2 5DS	<b>Emergency Tel No:</b>	01753 550000
<b>Form Of Substance:</b>	Liquid, Vapour,	<b>Routes of Exposure</b>	Inhalation, Skin, Ingestion, Eyes,
<b>Storage and Handling</b>	Store in manufacturers container in a COSHH cupboard		
<b>Exposure Limits</b>			
<b>WEL:</b> 125 mg/m <sup>3</sup>	<b>LEL:</b> Unknown	<b>SEL:</b> Unknown	

## Substance Classifications



Harmful



Serious long term health hazard



Flammable



Dangerous to the environment

## Health Phrases

H226 - Flammable liquid and vapour.  
H336 - May cause drowsiness or dizziness.  
H373 - May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure.  
H411 - Toxic to aquatic life with long lasting effects.

## Precautionary Phrases

P102 - Keep out of reach of children.  
P101 - If medical advice is needed, have product container or label at hand.  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 - Keep container tightly closed.  
P260 - Do not breathe dust/fume/gas/mist/vapours/spray.  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.



## Gloucestershire Warwickshire Steam Railway Plc Waxoyl

P312 - Call a POISON CENTER/doctor/999 if you feel unwell.  
P235 - Keep cool.  
P501 - Dispose of contents/container via an approved disposal route

### **Required Personal Protection Equipment (PPE)**



Goggles

### **Control Measures**

#### **Current:**

- Administrative - Follow manufacturers advice. - Effective

#### **Potential:**

- Engineering - Consider fume extraction - Effective

Score Notes:

### **Assessment Score**

Likelihood of Harm:

- 1) Very low probability – unlikely/once every 20 years

Severity of Harm:

- 2) Injury – up to 7 days lost time days lost time

Overall:

Low - Risk to be monitored to ensure it remains adequately controlled to an acceptable level.


### **Reference Documents**

Waxoyl safety data sheet - MSDS

### **Appendix**



## Gloucestershire Warwickshire Steam Railway Plc Waxoyl



Reference: UI-45280-474  
Waxoyl picture -