



Gloucestershire Warwickshire Steam Railway Plc Waxoyl

COSHH Assessment Details

Assessment Id:	COSHH-45280-48	Lead Assessor:	Kevin Jarvis
Version No:	2	Published Date:	20 December 2023
Status:	Active	Review Date:	20 December 2026
Assessment Date:	20 December 2023	Approved By:	Kevin 'Kev' Jarvis

Substance Details

Substance Name:	Waxoyl	Substance Use:	Specialist rust prevention paint
Manufacturer	ICI Paints Akzonobel	Emergency Tel No:	01753 550000
Address:	Wexham Road, Slough, Berks. SL2 5DS		
Form Of Substance:	Liquid, Vapour,	Routes of Exposure	Inhalation, Skin, Ingestion, Eyes,
Storage and Handling	Store in manufacturers container in a COSHH cupboard		
Exposure Limits			
WEL: 125 mg/m3	LEL: Unknown	SEL: Unknown	

Substance Classifications



Harmful



Serious long term health hazard



Flammable



Dangerous to the environment

Health Phrases

H226 - Flammable liquid and vapour.
H336 - May cause drowsiness or dizziness.
H373 - May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure.
H411 - Toxic to aquatic life with long lasting effects.

Precautionary Phrases

P102 - Keep out of reach of children.
P101 - If medical advice is needed, have product container or label at hand.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 - Keep container tightly closed.
P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
COSHH - Waxoyl - Generated 02/02/2026 at 14:51:30
Page 1 of 3



Gloucestershire Warwickshire Steam Railway Plc Waxoyl

P312 - Call a POISON CENTER/doctor/999 if you feel unwell.

P235 - Keep cool.

P501 - Dispose of contents/container via an approved disposal route

Required Personal Protection Equipment (PPE)



Goggles

Control Measures

Current:

- Administrative - Follow manufacturers advice. - Effective

Potential:

- Engineering - Consider fume extraction - Effective

Score Notes:

Assessment Score

Likelihood of Harm:

- 1) Very low probability – unlikely/once every 20 years

Severity of Harm:

- 2) Injury – up to 7 days lost time days lost time

Overall:

Low - Risk to be monitored to ensure it remains adequately controlled to an acceptable level.


Reference Documents

Waxoyl safety data sheet - MSDS

Appendix



Gloucestershire Warwickshire Steam Railway Plc
Waxoyl



Reference: UI-45280-474

Waxoyl picture -