Gloucestershire Warwickshire Steam Railway Plc

Ultimeg 2000/372 Clear (anti tracking paint)

COSHH Assessment Details

Assessment Id:	COSHH-45281-89	**Lead Assessor:**	Kevin Jarvis
Version No:	1	**Published Date:**	21 December 2023
Status:	Active	**Review Date:**	21 December 2026
Assessment Date:	21 December 2023	**Approved By:**	Kevin 'Kev' Jarvis

Substance Details

Substance Name:	Ultimeg 2000/372 Clear (anti tracking paint)	**Substance Use:**	Used as a paint to insulate parts of electrical equipment such as motor windings.
Manufacturer	AEV Ltd	**Emergency Tel No:**	0800 2461274
Address:	Marion Street Birkenhead, Merseyside. CH41 6LT		
Form Of Substance:	Liquid, Vapour, Fume, Mist,	**Routes of Exposure**	Inhalation, Skin, Ingestion, Eyes,
Storage and Handling	Store in manufacturers container in a COSHH cupboard		

Exposure Limits

WEL: 289 mg/m3 **LEL:** 77 mg/m3 **SEL:** Unknown

Substance Classifications



Harmful



Flammable

Health Phrases

H226 - Flammable liquid and vapour.
H312 - Harmful in contact with skin.
H332 - Harmful if inhaled.
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H412 - Harmful to aquatic life with long lasting effects.

Precautionary Phrases

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash thoroughly after handling.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P314 - Get medical advice/attention if you feel unwell.

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.
P501 - Dispose of contents/container via an approved disposal route

Required Personal Protection Equipment (PPE)


Gloves


Respirator


Overalls


Goggles

Control Measures

Current:
• Administrative - Follow manufacturers advice. - Effective
Potential:
• Engineering - Use fume extraction - Effective
Score Notes:

Assessment Score

Liklihood of Harm:
2) Low probability – seldom/once every 5 years

Severity of Harm:
3) Injury - > 7 days lost time + RIDDOR reportable

Overall:
Medium - Risk to be minimised and controlled so far as is reasonably practical.

Reference Documents

AEV Ultimeg 2000/372 Safety Data Sheet -

Appendix

Ultimeg 2000/372 Clear (anti tracking paint)



Reference: UI-45281-213
AEV Ultimeg 2000/372 Pic -