



Gloucestershire Warwickshire Steam Railway Plc Ultimeg 2000/372 Clear (anti tracking paint)

COSHH Assessment Details

Assessment Id:	COSHH-45281-89	Lead Assessor:	Kevin Jarvis
Version No:	1	Published Date:	21 December 2023
Status:	Active	Review Date:	21 December 2026
Assessment Date:	21 December 2023	Approved By:	Kevin 'Kev' Jarvis

Substance Details

Substance Name:	Ultimeg 2000/372 Clear (anti tracking paint)	Substance Use:	Used as a paint to insulate parts of electrical equipment such as motor windings.
------------------------	--	-----------------------	---

Manufacturer	AEV Ltd	Emergency Tel No:	0800 2461274
Address:	Marion Street Birkenhead, Merseyside. CH41 6LT		

Form Of Substance:	Liquid, Vapour, Fume, Mist,	Routes of Exposure	Inhalation, Skin, Ingestion, Eyes,
---------------------------	-----------------------------	---------------------------	------------------------------------

Storage and Handling Store in manufacturers container in a COSHH cupboard

Exposure Limits

WEL: 289 mg/m³

LEL: 77 mg/m³

SEL: Unknown

Substance Classifications



Harmful



Flammable

Health Phrases

H226 - Flammable liquid and vapour.
H312 - Harmful in contact with skin.
H332 - Harmful if inhaled.
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H412 - Harmful to aquatic life with long lasting effects.

Precautionary Phrases

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash thoroughly after handling.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P314 - Get medical advice/attention if you feel unwell.



Gloucestershire Warwickshire Steam Railway Plc Ultimeg 2000/372 Clear (anti tracking paint)

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.
P501 - Dispose of contents/container via an approved disposal route

Required Personal Protection Equipment (PPE)



Gloves



Respirator



Overalls



Goggles

Control Measures

Current:

- Administrative - Follow manufacturers advice. - Effective

Potential:

- Engineering - Use fume extraction - Effective

Score Notes:

Assessment Score

Likelihood of Harm:

2) Low probability – seldom/once every 5 years

Severity of Harm:

3) Injury - > 7 days lost time + RIDDOR reportable

Overall:

Medium - Risk to be minimised and controlled so far as is reasonably practical.

Reference Documents

AEV Ultimeg 2000/372 Safety Data Sheet -

Appendix



Gloucestershire Warwickshire Steam Railway Plc Ultimeg 2000/372 Clear (anti tracking paint)



Reference: UI-45281-213
AEV Ultimeg 2000/372 Pic -