Gloucestershire Warwickshire Steam Railway Plc

Tradepur LTM4

COSHH Assessment Details

Assessment Id:	COSHH-45281-83	**Lead Assessor:**	Kevin Jarvis
Version No:	1	**Published Date:**	21 December 2023
Status:	Active	**Review Date:**	21 December 2026
Assessment Date:	21 December 2023	**Approved By:**	Kevin 'Kev' Jarvis

Substance Details

Substance Name:	Tradepur LTM4	**Substance Use:**	Waterproof adhesive, squeezed from a tube
Manufacturer	Trade Grade Products	**Emergency Tel No:**	01202 820177
Address:	10 Victory Close, Woolsbridge industrial Park, Three Legged Cross, Wimbourne, Dorset. BH21 6SX		
Form Of Substance:	Solid, Vapour,	**Routes of Exposure**	Inhalation, Skin, Ingestion, Eyes,
Storage and Handling	Store in manufacturers container in a COSHH cupboard		

Exposure Limits

WEL: Unknown **LEL:** Unknown **SEL:** Unknown

Substance Classifications



Harmful



Serious long term health hazard

Health Phrases

H319 - Causes serious eye irritation.
H335 - May cause respiratory irritation.
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H315 - Causes skin irritation.
H351 - Suspected of causing cancer
H373 - May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure.

Precautionary Phrases

P201 - Obtain special instructions before use.
P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
P284 - [In case of inadequate ventilation] wear respiratory protection.
P302 + P352 - IF ON SKIN: Wash with plenty of water.
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P3 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 - IF exposed or concerned: Get medical advice/attention.

Required Personal Protection Equipment (PPE)


Gloves


Goggles

Control Measures

Current:
• Administrative - Follow manufacturers advice. - Effective
Potential:
• Engineering - Consider fume extraction in poorly ventilated areas. - Effective
Score Notes:

Assessment Score

Liklihood of Harm:
2) Low probability – seldom/once every 5 years

Severity of Harm:
2) Injury – up to 7 days lost time days lost time

Overall:
Low - Risk to be monitored to ensure it remains adequately controlled to an acceptable level.

Reference Documents

Tradepur LTM4 Safety Data Sheet -

Appendix

Tradepur LTM4



Reference: UI-45281-745
Tradepur LTM4 picture -