



Gloucestershire Warwickshire Steam Railway Plc

Bondit Line Marker Paint

COSHH Assessment Details

Assessment Id:	COSHH-45281-73	Lead Assessor:	Kevin Jarvis
Version No:	1	Published Date:	21 December 2023
Status:	Active	Review Date:	21 December 2026
Assessment Date:	21 December 2023	Approved By:	Kevin 'Kev' Jarvis

Substance Details

Substance Name:	Bondit Line Marker Paint	Substance Use:	Spray Can Line Marking Paint
Manufacturer	Seal It Services Ltd	Emergency Tel No:	01422 315300
Address:	Unit G16 Riverbank Way Lowfields Business Park Elland West Yorks HX5 9DN		
Form Of Substance:	Liquid, Mist, Vapour,	Routes of Exposure	Inhalation, Skin, Ingestion, Eyes,
Storage and Handling	Store in manufacturers container in a COSHH cupboard		
Exposure Limits			
WEL: 1450 mg/m ³	LEL: Unknown	SEL: 1810 mg/m ³	

Substance Classifications



Harmful



Flammable

Health Phrases

H222 - Extremely flammable aerosol.
H225 - Highly flammable liquid and vapour.
H319 - Causes serious eye irritation.
H336 - May cause drowsiness or dizziness.
H412 - Harmful to aquatic life with long lasting effects.

Precautionary Phrases

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 - Do not spray on an open flame or other ignition source.
P233 - Keep container tightly closed.
P241 - Use explosion-proof equipment.
P242 - Use non-sparking tools.
P243 - Take action to prevent static discharges.



Gloucestershire Warwickshire Steam Railway Plc Bondit Line Marker Paint

P251 - Do not pierce or burn, even after use.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash thoroughly after handling.
P271 - Use only outdoors or in a well-ventilated area.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P303 + P361 + P3 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P3 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 - Call a POISON CENTER/doctor/999 if you feel unwell.
P337 + P313 - If eye irritation persists: Get medical advice/attention.
P370 + P378 - In case of fire: Use... to extinguish.
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.
P403 + P235 - Store in a well-ventilated place. Keep cool.
P405 - Store locked up.
P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.
P501 - Dispose of contents/container via an approved disposal route

Required Personal Protection Equipment (PPE)



Gloves



Overalls



Goggles

Control Measures

Current:

- Administrative - Follow manufacturers advice. - Effective

Potential:

No Potential Control Measures

Score Notes:

Assessment Score

Liklihood of Harm:

- 1) Very low probability – unlikely/once every 20 years

Severity of Harm:

- 2) Injury – up to 7 days lost time days lost time

Overall:

Low - Risk to be monitored to ensure it remains adequately controlled to an acceptable level.

Reference Documents

Bondit Line Marker Paint Safety Data Sheet -

Appendix



Gloucestershire Warwickshire Steam Railway Plc
Bondit Line Marker Paint



Reference: UI-45281-693

Bondit Line marker paint picture -