Gloucestershire Warwickshire Steam Railway Plc

Arrow Dri-Lube

COSHH Assessment Details

Assessment Id:	COSHH-45294-87	**Lead Assessor:**	Kevin Jarvis
Version No:	1	**Published Date:**	03 January 2024
Status:	Active	**Review Date:**	03 January 2027
Assessment Date:	03 January 2024	**Approved By:**	Kevin 'Kev' Jarvis

Substance Details

Substance Name:	Arrow Dri-Lube	**Substance Use:**	Spray on lubricant
Manufacturer	Arrow Solutions	**Emergency Tel No:**	01865 407333
Address:	Rawdon Road, Moira, Swadlincote, Derbyshire. DE12 6DA		
Form Of Substance:	Liquid, Mist, Vapour,	**Routes of Exposure**	Inhalation, Skin, Ingestion, Eyes,
Storage and Handling	Store in manufacturers container in a COSHH cupboard		

Exposure Limits

WEL: 2085 mg/m3 **LEL:** Unknown **SEL:** Unknown

Substance Classifications



Harmful



Flammable



Dangerous to the enviroment

Health Phrases

H222 - Extremely flammable aerosol.
H315 - Causes skin irritation.
H336 - May cause drowsiness or dizziness.
H411 - Toxic to aquatic life with long lasting effects.

Precautionary Phrases

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 - Do not spray on an open flame or other ignition source.
P251 - Do not pierce or burn, even after use.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 - Use only outdoors or in a well-ventilated area.
P273 - Avoid release to the environment.
P302 + P352 - IF ON SKIN: Wash with plenty of water.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312 - Call a POISON CENTER/doctor/999 if you feel unwell.
P332 + P313 - If skin irritation occurs: Get medical advice/attention.
P410 + P412 - Protect from sunlight. Do no expose to temperatures exceeding 50°C/ 122°F.
P501 - Dispose of contents/container via an approved disposal route
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Required Personal Protection Equipment (PPE)


Gloves


Goggles

Control Measures

Current:
• Administrative - Follow manufacturers advice. - Effective
Potential:
No Potential Control Measures
Score Notes:

Assessment Score

Liklihood of Harm:
1) Very low probability – unlikely/once every 20 years

Severity of Harm:
2) Injury – up to 7 days lost time days lost time

Overall:
Low - Risk to be monitored to ensure it remains adequately controlled to an acceptable level.

Reference Documents

Arrow Dri-Lube SDS - Safety Data Sheet

Appendix

Arrow Dri-Lube



Reference: UI-45294-572
Arrow Dri-Lube picture -