



Gloucestershire Warwickshire Steam Railway Plc

Rocol RTD Metal Cutting Compound

COSHH Assessment Details

Assessment Id:	COSHH-45294-93	Lead Assessor:	Kevin Jarvis
Version No:	1	Published Date:	03 January 2024
Status:	Active	Review Date:	03 January 2027
Assessment Date:	03 January 2024	Approved By:	Kevin 'Kev' Jarvis

Substance Details

Substance Name:	Rocol RTD Metal Cutting Compound	Substance Use:	Tin based paste applied with a brush.
Manufacturer	Rocol	Emergency Tel No:	0113 2322600
Address:	Rocol House, Wakefield Road, Swillington, Leeds. LS26 8BS		
Form Of Substance:	Solid, Vapour,	Routes of Exposure	Inhalation, Skin, Ingestion, Eyes,
Storage and Handling	Store in manufacturers container in a COSHH cupboard		

Exposure Limits

WEL: Unknown **LEL:** Unknown **SEL:** Unknown

Substance Classifications



Dangerous to the environment

Health Phrases

H362 - May cause harm to breast-fed children.

H400 - Very toxic to aquatic life.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary Phrases

P201 - Obtain special instructions before use.

P263 - Avoid contact during pregnancy and while nursing.

P308 + P313 - IF exposed or concerned: Get medical advice/attention.

P391 - Collect spillage.



Gloucestershire Warwickshire Steam Railway Plc

Rocol RTD Metal Cutting Compound

Required Personal Protection Equipment (PPE)



Goggles

Control Measures

Current:

- Administrative - Follow manufacturers advice. - Effective

Potential:

No Potential Control Measures

Score Notes:

Assessment Score

Liklihood of Harm:

1) Very low probability – unlikely/once every 20 years

Severity of Harm:

2) Injury – up to 7 days lost time days lost time

Overall:

Low - Risk to be monitored to ensure it remains adequately controlled to an acceptable level.

Reference Documents

RTD Compound SDS - Safety Data Sheet

Appendix



Reference: UI-45294-784

RTD Compound picture -