



COSHH Assessment Details

Assessment Id:	COSHH-44274-29	Lead Assessor:	Kevin Jarvis
Version No:	3	Published Date:	11 April 2024
Status:	Active	Review Date:	11 April 2027
Assessment Date:	11 April 2024	Approved By:	Kevin 'Kev' Jarvis

Substance Details

Substance Name:	Bottled Gas - Butane	Substance Use:	Gas used in heating, cutting and other maintenance activities
Manufacturer	Energas	Emergency Tel No:	01482 329333
Address:	Energas Ltd. Westmorland Street, Hull HU2 0HX, United Kingdom		
Form Of Substance:	Gas,	Routes of Exposure	Inhalation,
Storage and Handling	Store bottles upright in a secure, locked cage.		

Exposure Limits

WEL: Unknown **LEL:** Unknown **SEL:** Unknown

Substance Classifications



Extreamly
Flammable



Gasses Under
Pressure

Health Phrases

H220 - Extremely flammable gas.

H280 - Contains gas under pressure; may explode if heated.

Precautionary Phrases

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P377 - Leaking gas fire:

P376 - Stop leak if safe to do so.

P381 - In case of leakage, eliminate all ignition sources.

P403 - Store in a well-ventilated place.

Required Personal Protection Equipment (PPE)



Gloucestershire Warwickshire Steam Railway Plc Bottled Gas - Butane



Gloves



Overalls



Goggles

Control Measures

Current:

- Administrative - Follow manufacturers advice - Effective

Potential:

No Potential Control Measures

Score Notes:

Assessment Score

Liklihood of Harm:

2) Low probability – seldom/once every 5 years

Severity of Harm:

3) Injury - > 7 days lost time + RIDDOR reportable

Overall:

Medium - Risk to be minimised and controlled so far as is reasonably practical.

Reference Documents

Butane Safety Data Sheet - Butane MSDS