



Gloucestershire Warwickshire Steam Railway Plc  
**GEORGE DANBY SPRAY ADHESIVE AEROSOL**  
**500ml**

**COSHH Assessment Details**

<b>Assessment Id:</b>	COSHH-44243-59	<b>Lead Assessor:</b>	Kevin Jarvis
<b>Version No:</b>	2	<b>Published Date:</b>	11 April 2024
<b>Status:</b>	Active	<b>Review Date:</b>	11 April 2027
<b>Assessment Date:</b>	11 April 2024	<b>Approved By:</b>	Kevin 'Kev' Jarvis

**Substance Details**

<b>Substance Name:</b>	GEORGE DANBY SPRAY ADHESIVE AEROSOL 500ml	<b>Substance Use:</b>	Spray adhesive for carriage upholstery.
<b>Manufacturer</b>	AFT Aerosols Ltd	<b>Emergency Tel No:</b>	01782 285 700
<b>Address:</b>	AFT Aerosols Ltd Unit 8, Berryhill Industrial Estate Berryhill Road Fenton Stoke-on-Trent ST4 2NL		
<b>Form Of Substance:</b>	Liquid, Vapour,	<b>Routes of Exposure</b>	Inhalation, Skin, Ingestion, Eyes,
<b>Storage and Handling</b>	Store in manufacturers container in a COSHH cupboard.		

**Exposure Limits**

**WEL:** 350 mg/m<sup>3</sup>

**LEL:** Unknown

**SEL:** 1060 mg/m<sup>3</sup>

**Substance Classifications**



Serious long  
term health  
hazard



Flammable

**Health Phrases**

H222 - Extremely flammable aerosol.  
H351 - Suspected of causing cancer  
H315 - Causes skin irritation.  
H319 - Causes serious eye irritation.  
H336 - May cause drowsiness or dizziness.

**Precautionary Phrases**

P102 - Keep out of reach of children.  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.



# Gloucestershire Warwickshire Steam Railway Plc

## GEORGE DANBY SPRAY ADHESIVE AEROSOL 500ml

- P251 - Do not pierce or burn, even after use.  
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
P501 - Dispose of contents/container via an approved disposal route  
P273 - Avoid release to the environment.  
P302 + P352 - IF ON SKIN: Wash with plenty of water.  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305 + P351 + P3 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 - IF exposed or concerned: Get medical advice/attention.  
P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.

### **Required Personal Protection Equipment (PPE)**



Gloves



Goggles

### **Control Measures**

#### Current:

- Administrative - Follow manufacturers advice - Effective

#### Potential:

- Engineering - Consider using fume extraction if using for prolonged periods or fume extraction is poor. - Effective

Score Notes:

### **Assessment Score**

Likelihood of Harm:

2) Low probability – seldom/once every 5 years

Severity of Harm:

2) Injury – up to 7 days lost time days lost time

Overall:

Low - Risk to be monitored to ensure it remains adequately controlled to an acceptable level.

### **Reference Documents**

George Danby Spray Adhesive Safety Data Sheet - George Danby Spray Adhesive Safety Data Sheet