

Gloucestershire Warwickshire Steam Railway Plc Bakers Soldering Fluid No.3

COSHH Assessment Details

Assessment Id: COSHH-44081-5 Lead Assessor: Kevin Jarvis

Version No:3Published Date:03 September 2024Status:ActiveReview Date:03 September 2027

Assessment Date: 03 September 2024 Approved By: Kevin Jarvis

Substance Details

Substance Name: Bakers Soldering Fluid Substance Use: Flux used in soldering

No.3

Manufacturer The Solder Connection Emergency Tel No: 01291 624400

Address: Unit 5 Severn Link Distribution Centre, Chepstow, Monmouthshire, NP16

6UN

Form Of Substance: Liquid, Vapour, Routes of Exposure Inhalation, Skin, Ingestion,

Eyes,

Storage and Store in manufacturers container in a COSH cupboard

Handling

Exposure Limits

WEL: 10 mg/m3 LEL: Unknown SEL: Unknown

Substance Classifications



Harmful



Corrosive



Dangerous to the environment

Health Phrases

H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage.

H335 - May cause respiratory irritation.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary Phrases

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash thoroughly after handling.

P270 - Do no eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P312 - IF SWALLOWED: Call a POISON CENTER/doctor/999 if you feel unwell.

P301 + P330 + P3 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

COSHH - Bakers Soldering Fluid No.3 - Generated 08/12/2025 at 16:27:04



Gloucestershire Warwickshire Steam Railway Plc Bakers Soldering Fluid No.3

P303 + P361 + P3 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P3 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 - Call a POISON CENTER/doctor/999 if you feel unwell.

P310 - Immediately call a POISON CENTER/doctor/999

P321 - Specific treatment. Refer to MSDS

P330 - Rinse mouth.

P363 - Wash contaminated clothing before reuse.

P391 - Collect spillage.

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents/container via an approved disposal route

Required Personal Protection Equipment (PPE)







Overalls Goggles

Control Measures

Current:

 Administrative - Follow manufacturers control measures - Effective Potential:

No Potential Control Measures Score Notes:

Assessment Score

Liklihood of Harm:

2) Low probability – seldom/once every 5 years

Severity of Harm:

1) Injury – no time off/minor first aid

Overall:

Low - Risk to be monitored to ensure it remains adequately controlled to an acceptable level.

Appendix

COSHH - Bakers Soldering Fluid No.3 - Generated 08/12/2025 at 16:27:04 Page 2 of 3



Gloucestershire Warwickshire Steam Railway Plc Bakers Soldering Fluid No.3



Reference: UI-44081-677
Bakers No.3 Picture - Bakers No.3
Picture