



# Gloucestershire Warwickshire Steam Railway Plc Bottled Gas - Helium

## COSHH Assessment Details

<b>Assessment Id:</b>	COSHH-44274-97	<b>Lead Assessor:</b>	Kevin Jarvis
<b>Version No:</b>	3	<b>Published Date:</b>	03 September 2024
<b>Status:</b>	Active	<b>Review Date:</b>	03 September 2027
<b>Assessment Date:</b>	03 September 2024	<b>Approved By:</b>	Kevin Jarvis

## Substance Details

<b>Substance Name:</b>	Bottled Gas - Helium	<b>Substance Use:</b>	Gas used in some specialist cutting operations
<b>Manufacturer</b>	Energas	<b>Emergency Tel No:</b>	01482 329333
<b>Address:</b>	Energas Ltd Westmorland Street, Hull HU2 0HX, United Kingdom		

<b>Form Of Substance:</b>	Gas,	<b>Routes of Exposure</b>	Inhalation,
<b>Storage and Handling</b>	Store bottles upright in a secure, locked cage.		

### Exposure Limits

<b>WEL:</b> Unknown	<b>LEL:</b> Unknown	<b>SEL:</b> Unknown
---------------------	---------------------	---------------------

## Substance Classifications



Gases Under  
Pressure

### Health Phrases

H280 - Contains gas under pressure; may explode if heated.

### Precautionary Phrases

P403 - Store in a well-ventilated place.

## Required Personal Protection Equipment (PPE)



## Gloucestershire Warwickshire Steam Railway Plc Bottled Gas - Helium

---



Gloves



Overalls



Goggles

### **Control Measures**

#### Current:

- Administrative - Follow manufacturers advice - Effective

#### Potential:

No Potential Control Measures

Score Notes:

### **Assessment Score**

Likelihood of Harm:  
Not Set

Severity of Harm:  
Not Set

Overall:  
No Rating Available

### **Reference Documents**

Helium Safety Data Sheet - Helium MSDS