

Gloucestershire Warwickshire Steam Railway Plc Johnstones Trade Professional Gloss

COSHH Assessment Details

Assessment Id: COSHH-44194-1 Lead Assessor: Kevin Jarvis

Version No:3Published Date:03 September 2024Status:ActiveReview Date:03 September 2027

Assessment Date: 03 September 2024 Approved By: Kevin Jarvis

Substance Details

Substance Name: Johnstones Trade Substance Use: General purpose top coat

Professional Gloss paint

Manufacturer PPG Architectural Emergency Tel No: 01924 354000

Coatings UK Ltd

Address: Huddersfield Road, Birstall, West Yorkshire. WF17 9XA

Form Of Substance: Liquid, Vapour, Routes of Exposure Inhalation, Skin, Ingestion,

Eyes,

Storage and Store in manufacturers container in a COSHH cupboard.

Handling

Exposure Limits

WEL: Unknown LEL: 871 mg/m3 SEL: Unknown

Substance Classifications



Health Phrases

H226 - Flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H312 - Harmful in contact with skin.

H318 - Causes serious eye damage.

H317 - May cause an allergic skin reaction.

H351 - Suspected of causing cancer

H361 - Suspected of damaging fertility or the unborn child <state specific effect if known>

Precautionary Phrases

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P235 - Keep cool.

P501 - Dispose of contents/container via an approved disposal route



Gloucestershire Warwickshire Steam Railway Plc Johnstones Trade Professional Gloss

P303 + P361 + P3 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

Required Personal Protection Equipment (PPE)







Control Measures

Current:

• Administrative - Follow manufacturers advice - Effective

Potential:

No Potential Control Measures Score Notes:

Assessment Score

Liklihood of Harm: 2) Low probability – seldom/once every 5 years Severity of Harm: 2) Injury – up to 7 days lost time days lost time Overall:
Low - Risk to be monitored to
ensure it remains adequately
controlled to an acceptable level.

Reference Documents

Johnstones trade Professional Gloss Data Sheet - Johnstones trade Professional Gloss MSDS **Appendix**



Gloucestershire Warwickshire Steam Railway Plc Johnstones Trade Professional Gloss



Reference: UI-44194-698
Johnstones trade Professional Gloss
- Johnstones trade Professional
Gloss picture