



Gloucestershire Warwickshire Steam Railway Plc

Locktite 222 Screwlock

COSHH Assessment Details

Assessment Id:	COSHH-44146-62	Lead Assessor:	Kevin Jarvis
Version No:	3	Published Date:	03 September 2024
Status:	Active	Review Date:	03 September 2027
Assessment Date:	03 September 2024	Approved By:	Kevin Jarvis

Substance Details

Substance Name:	Locktite 222 Screwlock	Substance Use:	Screw locking adhesive
Manufacturer	Henkel Ltd	Emergency Tel No:	01442 278497
Address:	Wood Lane End HP2 4RQ Hemel Hempstead		
Form Of Substance:	Liquid, Vapour,	Routes of Exposure	Inhalation, Skin, Ingestion, Eyes,
Storage and Handling	Stored in the manufacturers container in a COSHH cupboard		

Exposure Limits

WEL: 10 mg/M3 **LEL:** Unknown **SEL:** Unknown

Substance Classifications



Harmful

Health Phrases

H319 - Causes serious eye irritation.

H335 - May cause respiratory irritation.

Precautionary Phrases

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P501 - Dispose of contents/container via an approved disposal route

P337 + P313 - If eye irritation persists: Get medical advice/attention.

Required Personal Protection Equipment (PPE)



Gloucestershire Warwickshire Steam Railway Plc Locktite 222 Screwlock



Goggles

Control Measures

Current:

- Administrative - Follow manufacturers advice - Effective

Potential:

No Potential Control Measures

Score Notes:

Assessment Score

Liklihood of Harm:

2) Low probability – seldom/once every 5 years

Severity of Harm:

2) Injury – up to 7 days lost time days lost time

Overall:

Low - Risk to be monitored to ensure it remains adequately controlled to an acceptable level.

Reference Documents

Locktite 222 Screwlock MSDS - Material Safety Data Sheet

Appendix



Reference: UI-44146-832

Locktite 222 Screwlock - Locktite 222 Screwlock picture