

Gloucestershire Warwickshire Steam Railway Plc Loctite 572 Thread Sealant

COSHH Assessment Details

Assessment Id: COSHH-44203-37 Lead Assessor: Kevin Jarvis

Version No:3Published Date:03 September 2024Status:ActiveReview Date:03 September 2027

Assessment Date: 03 September 2024 Approved By: Kevin Jarvis

Substance Details

Substance Name: Loctite 572 Thread Substance Use: General purpose thread

Sealant sealant

Manufacturer Henkel Ltd Emergency Tel No: 01442 278497

Address: Henkel Ltd

Wood Lane End Hemel Hempstead

HP2 4RQ

Form Of Substance: Liquid, Routes of Exposure Inhalation, Skin, Ingestion,

Eyes,

Storage and Store in manufacturers container in a COSHH cupboard.

Handling **Exposure Limits**

WEL: 10 mg/m3 LEL: Unknown SEL: Unknown

Substance Classifications



Health Phrases

H319 - Causes serious eye irritation.

Precautionary Phrases

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P501 - Dispose of contents/container via an approved disposal route

P337 + P313 - If eye irritation persists: Get medical advice/attention.

Required Personal Protection Equipment (PPE)



Gloucestershire Warwickshire Steam Railway Plc Loctite 572 Thread Sealant





Control Measures

Current:

• Administrative - Follow manufacturers advice - Effective Potential:

No Potential Control Measures Score Notes:

Assessment Score

Liklihood of Harm: 2) Low probability – seldom/once every 5 years Severity of Harm: 2) Injury – up to 7 days lost time days lost time

Overall: Low - Risk to be monitored to ensure it remains adequately controlled to an acceptable level.

Reference Documents

Loctite 572 Thread Sealant Data Sheet - Loctite 572 Thread Sealant MSDS

Appendix



Gloucestershire Warwickshire Steam Railway Plc Loctite 572 Thread Sealant



Reference: UI-44203-911 Loctite 572 Thread Sealant - Loctite 572 Thread Sealant picture