



Gloucestershire Warwickshire Steam Railway Plc Unleaded Gasoline

COSHH Assessment Details

Assessment Id:	COSHH-44131-46	Lead Assessor:	Kevin Jarvis
Version No:	3	Published Date:	03 September 2024
Status:	Active	Review Date:	03 September 2027
Assessment Date:	03 September 2024	Approved By:	Kevin Jarvis

Substance Details

Substance Name:	Unleaded Gasoline	Substance Use:	Fuel for portal tools and vehicles.
Manufacturer	Exxon Mobil	Emergency Tel No:	01372 222 000
Address:	Esso Ermyrn Way Ermyrn House KT22 8UX LEATHERHEAD, SURREY		
Form Of Substance:	Liquid, Vapour,	Routes of Exposure	Inhalation, Skin, Ingestion, Eyes,
Storage and Handling	Must be stored in suitable sealed containers in a dry cool COSHH cabinet		

Exposure Limits

WEL: 180 mg/m³

LEL: Unknown

SEL: Unknown

Substance Classifications



Harmful



Serious long
term health
hazard



Highly
Flammable



Dangerous to
the
enviroment

Health Phrases

H224 - Extremely flammable liquid and vapour.
H304 - May be fatal if swallowed and enters airways.
H315 - Causes skin irritation.
H336 - May cause drowsiness or dizziness.
H340 - May cause genetic defects
H350 - May cause cancer
H360 - May damage fertility or the unborn child
H411 - Toxic to aquatic life with long lasting effects.

Precautionary Phrases

P101 - If medical advice is needed, have product container or label at hand.
P102 - Keep out of reach of children.
P202 - Do not handle until all safety precautions have been read and understood.

COSHH - Unleaded Gasoline - Generated 24/05/2026 at 14:55:56



Gloucestershire Warwickshire Steam Railway Plc Unleaded Gasoline

- P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 - Keep container tightly closed.
P240 - Ground and bond container and receiving equipment.
P241 - Use explosion-proof equipment.
P242 - Use non-sparking tools.
P243 - Take action to prevent static discharges.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash thoroughly after handling.
P271 - Use only outdoors or in a well-ventilated area.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor/999
P303 + P361 + P3 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308 + P313 - IF exposed or concerned: Get medical advice/attention.
P312 - Call a POISON CENTER/doctor/999 if you feel unwell.
P331 - Do NOT induce vomiting.
P332 + P313 - If skin irritation occurs: Get medical advice/attention.
P362 - Take off contaminated clothing.
P370 + P378 - In case of fire: Use... to extinguish.
P391 - Collect spillage.
P403 + P235 - Store in a well-ventilated place. Keep cool.
P405 - Store locked up.
P501 - Dispose of contents/container via an approved disposal route

Required Personal Protection Equipment (PPE)



Gloves

Control Measures

Current:

- Administrative - Follow manufacturers advice - Effective

Potential:

No Potential Control Measures

Score Notes:

Assessment Score

Likelihood of Harm:

2) Low probability – seldom/once every 5 years

Severity of Harm:

2) Injury – up to 7 days lost time days lost time

Overall:

Low - Risk to be monitored to ensure it remains adequately controlled to an acceptable level.

Reference Documents



Gloucestershire Warwickshire Steam Railway Plc Unleaded Gasoline

Unleaded Gasoline Data Sheet - Unleaded Gasoline Data Sheet