Gloucestershire Warwickshire Steam Railway Plc

Rustoleum 3301 Super adhesive Primer Activator

COSHH Assessment Details

Assessment Id:	COSHH-44392-78	**Lead Assessor:**	Kevin Jarvis
Version No:	2	**Published Date:**	03 September 2024
Status:	Active	**Review Date:**	03 September 2027
Assessment Date:	03 September 2024	**Approved By:**	Kevin Jarvis

Substance Details

Substance Name:	Rustoleum 3301 Super adhesive Primer Activator	**Substance Use:**	Industrial Coatings Primer Activator
Manufacturer Address:	Rust-Oleum Europe Kolenbergstraat 23, B3545 Zelem, Belgium	**Emergency Tel No:**	0207 8581228
Form Of Substance:	Liquid, Vapour,	**Routes of Exposure**	Inhalation, Skin, Ingestion, Eyes,
Storage and Handling	Store in manufacturers container in a COSHH cupboard		

Exposure Limits

WEL: 12 mg/m3 **LEL:** Unknown **SEL:** 0.75 mg/m3

Substance Classifications



Harmful



Dangerous to the enviroment

Health Phrases

H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H411 - Toxic to aquatic life with long lasting effects.

Precautionary Phrases

P103 - Read label before use.
P102 - Keep out of reach of children.
P101 - If medical advice is needed, have product container or label at hand.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P273 - Avoid release to the environment.
P391 - Collect spillage.
P302 + P352 - IF ON SKIN: Wash with plenty of water.

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.
P501 - Dispose of contents/container via an approved disposal route

Required Personal Protection Equipment (PPE)


Gloves


Overalls


Goggles

Control Measures

Current:
• Administrative - Follow manufacturers advice. - Effective
Potential:
No Potential Control Measures
Score Notes:

Assessment Score

Liklihood of Harm:
2) Low probability – seldom/once every 5 years

Severity of Harm:
2) Injury – up to 7 days lost time days lost time

Overall:
Low - Risk to be monitored to ensure it remains adequately controlled to an acceptable level.

Reference Documents

Mathys Rustoleum 3301 Super Adhesive Primer Activator Data Sheet - Mathys Rust-oleum 3301 Super Adhesive Primer Activator MSDS

Appendix

Gloucestershire Warwickshire Steam Railway Plc

Rustoleum 3301 Super adhesive Primer Activator



Reference: UI-44392-853
Mathys Rustoleum 3301 Super Adhesive Primer Activator - Mathys Rustoleum 3301 Super Adhesive Primer Activator