Gloucestershire Warwickshire Steam Railway Plc

Cambrian Solvents Descaler

COSHH Assessment Details

Assessment Id:	COSHH-45702-76	**Lead Assessor:**	Kevin Jarvis
Version No:	1	**Published Date:**	14 February 2025
Status:	Active	**Review Date:**	14 February 2028
Assessment Date:	14 February 2025	**Approved By:**	Kevin Jarvis

Substance Details

Substance Name:	Cambrian Solvents Descaler	**Substance Use:**	Descaler for kitchen equipmenrt
Manufacturer	Cambrian Solvents	**Emergency Tel No:**	01686 627 158
Address:	Mochdre Industrial Estate SY16 4LE Newtown Wales		
Form Of Substance:	Liquid,	**Routes of Exposure**	Eyes, Skin, Ingestion,
Storage and Handling	Sore in manufacturers packaging in a secure cupboard.		

Exposure Limits

WEL: 2.6 mg/m3 **LEL:** Unknown **SEL:** Unknown

Substance Classifications



Corrosive

Health Phrases

H314 - Causes severe skin burns and eye damage.

Precautionary Phrases

P102 - Keep out of reach of children.
P301 + P330 + P3 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303 + P361 + P3 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305 + P351 + P3 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER/doctor/999

Required Personal Protection Equipment (PPE)


Gloves


Goggles

Control Measures

Current:
• Administrative - Follow manufacturers instructions - Effective
Potential:
No Potential Control Measures
Score Notes:

Assessment Score

Liklihood of Harm:
2) Low probability – seldom/once every 5 years

Severity of Harm:
2) Injury – up to 7 days lost time days lost time

Overall:
Low - Risk to be monitored to ensure it remains adequately controlled to an acceptable level.

Reference Documents

Cambrian Solvents Descaler MSDS - Data Sheet