

Gloucestershire Warwickshire Steam Railway Plc Fortress Line/Survey marking Paint

COSHH Assessment Details

Assessment Id: COSHH-45727-0 Lead Assessor: Kevin Jarvis **Version No:** 1 **Published Date:** 11 March 2025 Status: Active **Review Date:** 11 March 2028 **Assessment Date:** 11 March 2025 Approved By: Kevin Jarvis

Substance Details

Substance Use:

Substance Name: Fortress Line/Survey

marking Paint

General purpose spray

paint for civil engineering.

Manufacturer Tetrosyl Ltd **Emergency Tel No:** 0161 620 5400

Address: Newgate House,

> Rochdale **OL16 1AT**

Form Of Substance: Liquid, Solid, Vapour, Routes of Exposure Eyes, Inhalation, Skin,

> Mist, Fume, Ingestion,

Storage and Handling

Store in manufacturers container in a COSHH cupboard

Exposure Limits

LEL: Unknown WEL: 999 mg/m3 **SEL:** 1250 mg/m3

Substance Classifications





Harmful

Health Phrases

H222 - Extremely flammable aerosol.

H229 - Pressurised container. May burst if heated.

H319 - Causes serious eye irritation.

H336 - May cause drowsiness or dizziness.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary Phrases

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P305 + P351 + P3 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if



Gloucestershire Warwickshire Steam Railway Plc Fortress Line/Survey marking Paint

present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice/attention.

P410 + P412 - Protect from sunlight. Do no expose to temperatures exceeding 50°C/ 122°F.

P501 - Dispose of contents/container via an approved disposal route

Required Personal Protection Equipment (PPE)





Control Measures

Current:

• Administrative - Follow manufacturers advice. - Effective

Potential:

No Potential Control Measures Score Notes:

Assessment Score

Liklihood of Harm:

1) Very low probability –
unlikely/once every 20 years

Severity of Harm: 2) Injury – up to 7 days lost time days lost time Overall: Low - Risk to be monitored to ensure it remains adequately

controlled to an acceptable level.

Reference Documents

MSDS -

Appendix



Gloucestershire Warwickshire Steam Railway Plc Fortress Line/Survey marking Paint



Reference: UI-45727-248 Paint Pic -