



Gloucestershire Warwickshire Steam Railway Plc Lead Bar - General Use

COSHH Assessment Details

Assessment Id:	COSHH-45713-77	Lead Assessor:	Kevin Jarvis
Version No:	2	Published Date:	21 July 2026
Status:	Active	Review Date:	21 July 2029
Assessment Date:	21 July 2026	Approved By:	Kevin Jarvis

Substance Details

Substance Name:	Lead Bar - General Use	Substance Use:	Various workshop, construction, maintenance and buildings
Manufacturer	Various	Emergency Tel No:	Unknown
Address:	Various		
Form Of Substance:	Solid,	Routes of Exposure	Ingestion, Skin,
Storage and Handling	In a secure COSHH cupboard		
<u>Exposure Limits</u>			
WEL: 0.05 mg/m3	LEL: Unknown	SEL: Unknown	

Substance Classifications



Harmful



Serious long
term health
hazard

Health Phrases

H302 - Harmful if swallowed.
H361 - Suspected of damaging fertility or the unborn child <state specific effect if known>
H371 - May cause damage to organs
H413 - May cause long lasting harmful effects to aquatic life.

Precautionary Phrases

P264 - Wash thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P302 + P352 - IF ON SKIN: Wash with plenty of water.
P501 - Dispose of contents/container via an approved disposal route



Gloucestershire Warwickshire Steam Railway Plc Lead Bar - General Use

Required Personal Protection Equipment (PPE)

No PPE Required

Control Measures

Current:

- Administrative - Follow manufacturers advice. - Effective

Potential:

No Potential Control Measures

Score Notes:

Assessment Score

Likelihood of Harm:

- 1) Very low probability – unlikely/once every 20 years

Severity of Harm:

- 1) Injury – no time off/minor first aid

Overall:

Low - Risk to be monitored to ensure it remains adequately controlled to an acceptable level.